

1

Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

D.P. Skip Hire Limited

DP Skip Hire Limited Barker Street Stoke-on-Trent Staffordshire ST3 1PE

Variation application number

EPR/GP3298ED/V003

Permit number

EPR/GP3298ED

DP Skip Hire Limited Permit number EPR/GP3298ED

Introductory note

This introductory note does not form a part of the notice

Under the Environmental Permitting (England & Wales) Regulations 2016 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. All the conditions of the permit have been varied and are subject to the right of appeal.

This variation is to extend the permitted area, to increase the annual tonnage from 5,000 to 75,000 tonnes and to add hazardous and non-hazardous waste streams to the permit. These are primarily asbestos and WEEE wastes. The waste codes are 10 13 10, 17 06 05*, 09 01 11*, 09 01 12, 16 02 15*, 16 02 16, 16 06 01*, 16 06 02*, 16 02 04, 16 02 09*, 16 02 10*, 16 02 11*, 16 02 12*, 16 02 13*, 16 06 03*, 16 06 05, 20 01 23*, 20 01 33*, 20 01 35* and 19 12 12.

The schedules specify the changes made to the permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	Date	Comments
Permit determined EAWML 100332	01/07/2008	Permit issued to D. P. Skip Hire Limited.
Application EPR/GP3298ED/V002 (previously EAWML 100332)	17/01/20	Application to vary the permit submitted.
Application EPR/GP3298ED/V002	24/04/20	Application to vary permit returned not duly made.
Application EPR/GP3298ED/V003 (variation)	Duly made 16/03/21	Application to vary the permit to increase the permitted area, increase annual tonnage and add waste codes.
Response to request for information dated 26/07/21	30/07/21 and 03/08/21	Revised Dust and emissions management plan received.
Response to request for information dated 01/10/21	11/10/21	Revised Part C4 application form and confirmation that the operator will comply with Chemical waste: appropriate measures for permitted facilities received.
Response to Schedule 5 Notice dated 06/08/2021	01/11/21	Revised Fire Prevention Plan received.
Response to request for information dated 10/12/21	15/12/21	Revised Accident Management Plan received.

Status log of the permit		
Description	Date	Comments
Response to requests for information dated 08/07/21, 26/10/21, 05/11/21 and 10/12/21 and 06/01/2022	07/01/22	Revised Noise Management Plan received.
Response to request for information dated 19/01/22	21/01/22	Revised Non-Technical Summary and Environmental Management System received.
Response to request for information dated 08/02/22	08/02/22	Email agreeing to the reduction of aggregate tonnage for asbestos and WEEE to no more than 50 tonnes at any one time.
Response to Schedule 5 Notice dated 26/05/22	17/06/22	Revised Odour Management Plan received.
Response to request for information dated 11/08/22	15/08/22	Email confirming that the operator will comply with the relevant Waste electrical and electronic equipment (WEEE): appropriate measures.
Variation determined and consolidation issued EPR/GP3298ED	30/08/22	Varied and consolidated permit issued in modern format.

End of introductory note

Notice of variation and consolidation

The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies

Permit number

EPR/GP3298ED

Issued to

D.P. Skip Hire Limited ("the operator")

whose registered office is

Ebenezer House Ryecroft Newcastle-Under-Lyme Staffordshire England ST5 2BE

company registration number 03059806

to operate a regulated facility at

DP Skip Hire Limited Barker Street Stoke-on-Trent Staffordshire ST3 1PE

to the extent set out in the schedules.

The notice shall take effect from 30/08/2022

Name	Date
Derek Franklin	30/08/2022

Authorised on behalf of the Environment Agency

Schedule 1

All conditions have been varied by the consolidated permit as a result of the application made by the operator.

Schedule 2 – consolidated permit

Consolidated permit issued as a separate document.

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/GP3298ED

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/GP3298ED/V003 authorising,

D.P. Skip Hire Limited ("the operator"),

whose registered office is

Ebenezer House Ryecroft Newcastle-Under-Lyme Staffordshire England ST5 2BE

company registration number 03059806

to operate waste operations at

DP Skip Hire Limited Barker Street Stoke-on-Trent Staffordshire ST3 1PE

to the extent authorised by and subject to the conditions of this permit.

Name	Date
Derek Franklin	30/08/2022

Authorised on behalf of the Environment Agency

Conditions

1 Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
 - (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
 - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Avoidance, recovery and disposal of wastes produced by the activities

- 1.2.1 The operator shall take appropriate measures to ensure that:
 - (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
 - (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
 - (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.
- 1.2.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

2 Operations

2.1 Permitted activities

2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the "activities").

2.2 The site

2.2.1 The activities shall not extend beyond the site, being the land shown edged in red on the site plan at schedule 7 to this permit.

2.3 Operating techniques

2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.

- 2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation ("plan") specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 2.3.3 Waste shall only be accepted if:
 - (a) it is of a type and quantity listed in schedule 2 table(s) S2.1 or S2.2 or S2.3 or S2.4; and
 - (b) it conforms to the description in the documentation supplied by the producer and holder.

2.4 Technical requirements

Hazardous waste storage and treatment

2.4.1 Hazardous waste shall not be mixed, either with a different category of hazardous waste or with other waste, substances or materials, unless it is authorised by schedule 1 table S1.1 and appropriate measures are taken.

2.5 WEEE storage

- 2.5.1 Spillage collection facilities and, where appropriate, decanters and cleanser-degreasers shall be provided and used as necessary.
- 2.5.2 WEEE shall be stored in areas provided with a weatherproof covering where appropriate or in containers providing a weatherproof covering where appropriate.

3 Emissions and monitoring

3.1 Emissions of substances not controlled by emission limits

- 3.1.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.1.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
 - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.2 Odour

3.2.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.

3.3 Noise and vibration

- 3.3.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.
- 3.3.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;
 - (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.4 Pests

- 3.4.1 The activities shall not give rise to the presence of pests which are likely to cause pollution, hazard or annoyance outside the boundary of the site. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved pests management plan, have been taken to prevent or where that is not practicable, to minimise the presence of pests on the site.
- 3.4.2 The operator shall:
 - (a) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a pests management plan which identifies and minimises risks of pollution, hazard or annoyance from pests;
 - (b) implement the pests management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.5 Fire prevention

3.5.1 The operator shall take all appropriate measures to prevent fires on site and minimise the risk of pollution from them including, but not limited to, those specified in any approved fire prevention plan.

4 Information

4.1 Records

- 4.1.1 All records required to be made by this permit shall:
 - (a) be legible;
 - (b) be made as soon as reasonably practicable;
 - (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
 - (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
 - (i) off-site environmental effects; and
 - (ii) matters which affect the condition of the land and groundwater.
- 4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

- 4.2.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.
- 4.2.2 Within one month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

4.3 Notifications

- 4.3.1 The Environment Agency shall be notified without delay following the detection of:
 - (a) any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution;
 - (b) the breach of a limit specified in the permit; or
 - (c) any significant adverse environmental effects.
- 4.3.2 Any information provided under condition 4.3.1 shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.
- 4.3.3 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.
- 4.3.4 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (a) any change in the operator's name or address; and
- (b) any steps taken with a view to the dissolution of the operator.

In any other case:

- (a) the death of any of the named operators (where the operator consists of more than one named individual);
- (b) any change in the operator's name(s) or address(es); and
- (c) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.
- 4.3.5 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:
 - (a) the Environment Agency shall be notified at least 14 days before making the change; and
 - (b) the notification shall contain a description of the proposed change in operation.

4.4 Interpretation

- 4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.
- 4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "without delay", in which case it may be provided by telephone.

Schedule 1 – Operations

Table S1.1 activities		
Description of activities for waste operations	Limits of activities	
A1 Non-hazardous and inert waste treatment and transfer	Treatment consisting only of manual sorting, separation, screening, baling, shredding, crushing or compaction of nor hazardous or inert waste into different components for	
D15: Storage pending any of the operations numbered D1 to D14 (excluding	disposal (no more than 50 tonnes per day) or recovery.	
temporary storage, pending collection, on the site where the waste is produced)	Waste types as specified in Table S2.1 and S2.2.	
R13: Storage of waste pending any of the	All wastes shall be treated on an impermeable surface with sealed drainage.	
operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where the waste is produced)	Wastes listed in Table S2.2 shall be stored on an impermeable surface with sealed drainage or hardstanding.	
D14: Repackaging of waste prior to the waste being submitted to any of the operations listed in paragraphs 1 to 13 of this Part of the Schedule.		
D9: Physico-chemical treatment not specified elsewhere which results in final compounds or mixtures which are discarded by means of any of the operations numbered D1 to D12		
R3: Recycling/reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes)		
R4: Recycling/reclamation of metals and metal compounds		
R5: Recycling/reclamation of other inorganic materials		
A2 Storage of asbestos	The storage of hazardous waste shall be on an impermeable	
D15: Storage pending any of the	surface and sealed drainage.	
operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where the waste is produced)	Except for WEEE awaiting manual sorting, manual dismantling, repair or refurbishment only the maximum quantity of hazardous waste that can be stored at the site shall not exceed 50 tonnes at any one time.	
	All wastes received shall be bagged or where necessary, wrapped. The maximum quantity of asbestos waste received at the site shall not exceed 10 tonnes per day.	
	The maximum quantity of asbestos waste stored at the site	

Table S1.1 activities	
Description of activities for waste operations	Limits of activities
	shall not exceed 10 tonnes.
	There shall be no treatment or repackaging of asbestos waste.
	Waste types as specified in Table S2.3.
A3 Storage of WEEE R13 Storage of wastes pending any	The storage of hazardous waste shall be on an impermeable surface and sealed drainage.
Treatment consisting only of sorting, of the	The hand sorting and separation of waste for recovery.
operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced.	There shall be no treatment of WEEE containing ozone depleting substances.
R3: Recycling/reclamation of organic	There shall be no treatment of lead acid batteries, other than sorting and separating from other wastes, and repackaging for third party processing.
substances which are not used as solvents	Subject to any other requirements of this permit wastes shall be stored for no longer than 3 years prior to recovery.
R4: Recycling/reclamation of metals and metal compounds R5: Recycling/reclamation of other inorganic materials	Lead acid batteries shall be stored upright in containers with the electrical connectors pointing upwards. The containers shall be impermeable with an acid resistant base and, unless stored under weatherproof covering, a lid to prevent ingress of water.
	Other batteries and accumulators shall be stored under weatherproof covering or in suitable containers. Batteries of different types and chemistry shall be stored separately.
D15: Storage pending any of the operations numbered D1 to D14 (excluding	There shall be no mechanical treatment of cooling equipment or display equipment.
temporary storage, pending collection, on the site where the waste is produced)	Except for WEEE awaiting manual sorting, manual dismantling, repair or refurbishment only the maximum quantity of hazardous waste (in aggregate) that can be stored at the site shall not exceed 50 tonnes at any one time.
	Wastes shall be stored for no longer than 1 year prior to disposal or 3 years prior to recovery.
	There shall be no treatment of hazardous waste other than for sorting and separation from other waste streams.
	The maximum quantity of hazardous waste stored (in aggregate) at the site for disposal shall be no more than 10 tonnes. This does not include WEEE awaiting manual sorting.
	Waste types as specified in Table S2.4.

Table S1.2 Operating techniques		
Description	Parts	Date Received
Chemical waste: appropriate measures for permitted facilities	Management system – all relevant parts Waste pre-acceptance, acceptance and tracking – all relevant parts	N/A

Description	Parts	Date Received
Description	Waste storage, segregation and handling – all relevant parts	Date Neceived
	Waste treatment appropriate measures – all relevant parts	
	Emissions control – all relevant parts	
	Process efficiency appropriate measures – all relevant parts	
Response to request for information dated 01/10/21 for the correct technical guidance to be referenced in the Application.	Email from Kasia Haywood dated 11/10/21 referencing documents provided in response to section 3a – technical standards, Part C4 of the application form.	11/10/21
Additional information received in response to email dated 26/07/21 requesting a revised Dust and Emissions Management Plan	Approved Dust and Emission Management Plan consisting of the following documents: - DP Skip Hire – Dust Management Plan; ref: DPS/EF/DEMP; November 2020.	30/07/21 and 03/08/21
	Email dated 30/07/21 at 11:16; Site Layout – Drawing No – Figure 2 and additional information on Dust and Emission Management Plan.	
Response to Schedule 5 Notice dated 06/08/21 requesting a revised Fire	Approved Fire Prevention Plan consisting of the following documents:	01/11/21
Prevention Plan	DPS_EF_FPP	
	DPS Layout Plan 27-1021	
	MTS Environmental Ltd Mail – Fire Hydrant Compliance	
	Email from Kasia Haywood date 01/11/2021, time 12:03	
Response to request for information dated	Approved Accident Management Plan	15/12/21
10/12/21 requesting a revised Accident Management Plan	DPS_EF_AMP	
Response to requests for information dated	Approved Noise and vibration management plan	07/01/22
08/07/21, 26/10/21, 05/11/21, 10/12/21 and 06/01/2022 requesting a revised Noise Management Plan	DPS NMP 7-1-22	
Response to Schedule 5 Notice dated 26/05/22	Approved Odour Management Plan	17/06/22
1101100 dated 20/00/22	DPS_EF-OMP 27-5-22	
Waste electrical and	When appropriate measures apply – all relevant parts	N/A
electronic equipment (WEEE): appropriate measures for permitted	General management appropriate measures – all relevant parts	
facilities	Waste pre-acceptance, acceptance and tracking appropriate measures – all relevant parts	

Table S1.2 Operating techniques			
Description	Parts	Date Received	
	Waste storage, segregation and handling appropriate measures – all relevant parts		
	Waste treatment appropriate measures – all relevant parts		
	Emissions control appropriate measures – all relevant parts		
	Process efficiency appropriate measures – all relevant parts		

Schedule 2 – Waste types

Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 30,000 tonnes of non-hazardous waste a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted:
	Consisting solely or mainly of dusts, powders or loose fibres
	Wastes that are in a form which is either sludge or liquid
Waste code	Description
01	Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals
01 04	wastes from physical and chemical processing of non-metalliferous minerals
01 04 11	wastes from potash and rock salt processing other than those mentioned in 01 04 07
01 04 12	tailings and other wastes from washing and cleaning of minerals other than those mentioned in 01 04 07 and 01 04 11
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing
02 01 03	plant-tissue waste
02 01 04	waste plastics (except packaging)
02 01 07	wastes from forestry
02 01 10	waste metal
03	Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard
03 01	wastes from wood processing and the production of panels and furniture
03 01 01	waste bark and cork
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04
03 03	wastes from pulp, paper and cardboard production and processing
03 03 01	waste bark and wood
03 03 08	wastes from sorting of paper and cardboard destined for recycling
10	Wastes from thermal processes
10 12	wastes from manufacture of ceramic goods, bricks, tiles and construction products
10 12 01	waste preparation mixture before thermal processing
10 12 06	discarded moulds
12	Wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01	wastes from shaping and physical and mechanical surface treatment of metals and plastics

Table S2.1 P	ermitted waste types and quantities for Non-hazardous Waste Treatment and Transfer
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 30,000 tonnes of non-hazardous waste a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted:
	Consisting solely or mainly of dusts, powders or loose fibres
	Wastes that are in a form which is either sludge or liquid
Waste code	Description
12 01 01	ferrous metal filings and turnings
12 01 03	non-ferrous metal filings and turnings
12 01 05	plastics shavings and turnings
12 01 13	welding wastes
12 01 17	waste blasting material other than those mentioned in 12 01 16
12 01 21	spent grinding bodies and grinding materials other than those mentioned in 12 01 20
15	Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified
15 01	packaging (including separately collected municipal packaging waste)
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 04	metallic packaging
15 01 05	composite packaging
15 01 06	mixed packaging
15 01 09	textile packaging
15 02	absorbents, filter materials, wiping cloths and protective clothing
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02
16	Wastes not otherwise specified in the list
16 06	batteries and accumulators
16 06 04	alkaline batteries (except 16 06 03)
16 06 05	other batteries and accumulators
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 02	wood, glass and plastic
17 02 01	wood
17 02 03	plastic
17 04	metals (including their alloys)
17 04 01	copper, bronze, brass
17 04 02	aluminium
17 04 03	lead
17 04 04	zinc

Table S2.1 P	ermitted waste types and quantities for Non-hazardous Waste Treatment and Transfer
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 30,000 tonnes of non-hazardous waste a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted:
	Consisting solely or mainly of dusts, powders or loose fibres
	Wastes that are in a form which is either sludge or liquid
Waste code	Description
17 04 05	iron and steel
17 04 06	tin
17 04 07	mixed metals
17 04 11	cables other than those mentioned in 17 04 10
17 09	other construction and demolition wastes
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 01	paper and cardboard
19 12 02	ferrous metal
19 12 03	non-ferrous metal
19 12 04	plastic and rubber
19 12 07	wood other than that mentioned in 19 12 06
19 12 08	textiles
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 01	separately collected fractions (except 15 01)
20 01 01	paper and cardboard
20 01 08	biodegradable kitchen and canteen waste
20 01 10	clothes
20 01 11	textiles
20 01 34	batteries and accumulators other than those mentioned in 20 01 33
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35
20 01 38	wood other than that mentioned in 20 01 37
20 01 39	plastics
20 01 40	metals
20 01 41	wastes from chimney sweeping
20 02	garden and park wastes (including cemetery waste)

Table S2.1 P station	ermitted waste types and quantities for Non-hazardous Waste Treatment and Transfer
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 30,000 tonnes of non-hazardous waste a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted:
	 Consisting solely or mainly of dusts, powders or loose fibres
	Wastes that are in a form which is either sludge or liquid
Waste code	Description
20 02 01	biodegradable waste
20 03	other municipal wastes
20 03 01	mixed municipal waste
20 03 02	waste from markets
20 03 03	street-cleaning residues
20 03 07	bulky waste

Table S2.2 P station	ermitted waste types and quantities for Non-hazardous Waste Treatment and Transfer
Waste types	that can be stored on hardstanding.
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 40,000 tonnes of inert waste a year
Exclusions	Wastes having any of the following characteristics shall not be accepted:
	Consisting solely or mainly of dusts, powders or loose fibres
	Wastes that are in a form which is either sludge or liquid
Waste code	Description
01	Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals
01 01	wastes from mineral excavation
01 01 01	wastes from mineral metalliferous excavation
01 01 02	wastes from mineral non-metalliferous excavation
01 04	wastes from physical and chemical processing of non-metalliferous minerals
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07
01 04 09	waste sand and clays
01 04 13	wastes from stone cutting and sawing other than those mentioned in 01 04 07
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing
02 01 10	waste metal (uncontaminated only)
10	Wastes from thermal processes
10 12	wastes from manufacture of ceramic goods, bricks, tiles and construction products
10 12 08	waste ceramics, bricks, tiles and construction products (after thermal processing)

station	ermitted waste types and quantities for Non-hazardous Waste Treatment and Transfer
Waste types	that can be stored on hardstanding.
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 40,000 tonnes of inert waste a year
Exclusions	Wastes having any of the following characteristics shall not be accepted:
	Consisting solely or mainly of dusts, powders or loose fibres
	Wastes that are in a form which is either sludge or liquid
Waste code	Description
10 13	wastes from manufacture of cement, lime and plaster and articles and products made from them
10 13 14	waste concrete
12	Wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01	wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01 01	ferrous metal filings and turnings (uncontaminated only)
12 01 03	non-ferrous metal filings and turnings (uncontaminated only)
15	Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified
15 01	packaging (including separately collected municipal packaging waste)
15 01 04	metallic packaging (uncontaminated only)
15 01 07	glass packaging
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 01	concrete, bricks, tiles and ceramics
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 02	wood, glass and plastic
17 02 02	glass
17 03	bituminous mixtures, coal tar and tarred products
17 03 02	bituminous mixtures other than those mentioned in 17 03 01
17 04	metals (including their alloys)
17 04 01	copper, bronze, brass (uncontaminated only)
17 04 02	aluminium (uncontaminated only)
17 04 03	lead (uncontaminated only)
17 04 04	zinc (uncontaminated only)
17 04 05	iron and steel (uncontaminated only)
17 04 06	tin (uncontaminated only)
17 04 07	mixed metals (uncontaminated only)

station	ermitted waste types and quantities for Non-hazardous Waste Treatment and Transfer
Waste types	that can be stored on hardstanding.
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 40,000 tonnes of inert waste a year
Exclusions	Wastes having any of the following characteristics shall not be accepted:
	 Consisting solely or mainly of dusts, powders or loose fibres
	Wastes that are in a form which is either sludge or liquid
Waste code	Description
17 04 11	cables other than those mentioned in 17 04 10 (uncontaminated only)
17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil
17 05 04	soil and stones other than those mentioned in 17 05 03
17 05 08	track ballast other than those mentioned in 17 05 07
17 06	insulation materials and asbestos-containing construction materials
17 06 04	insulation materials other than those mentioned in 17 06 01 and 17 06 03
17 08	gypsum-based construction material
17 08 02	gypsum-based construction materials other than those mentioned in 17 08 01
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 02	ferrous metal (uncontaminated only)
19 12 03	non-ferrous metal (uncontaminated only)
19 12 05	glass
19 12 09	minerals (for example sand, stones)
19 13	wastes from soil and groundwater remediation
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 01	separately collected fractions (except 15 01)
20 01 02	glass
20 01 40	metals (uncontaminated only)
20 02	garden and park wastes (including cemetery waste)
20 02 02	soil and stones

Table S2.3 P	ermitted waste types and quantities for storage and transfer of asbestos
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 2,500 tonnes a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted:
	Consisting solely or mainly of dusts, powders or loose fibres
	Wastes that are in a form which is either sludge or liquid

Waste code	Description
10	Wastes from thermal processes
10 13	wastes from manufacture of cement, lime and plaster and articles and products made from them
10 13 10	wastes from asbestos-cement manufacture other than those mentioned in 10 13 09
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 06	insulation materials and asbestos-containing construction materials
17 06 05*	construction materials containing asbestos

Table S2.4 P	ermitted waste types and quantities for Hazardous Waste Transfer Station
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 2,500 tonnes a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted:
	Consisting solely or mainly of dusts, powders or loose fibres
	Wastes that are in a form which is either sludge or liquid
Waste code	Description
09	Wastes from the photographic industry
09 01	wastes from the photographic industry
09 01 11*	single-use cameras containing batteries included in 16 06 01, 16 06 02 or 16 06 03
09 01 12	single-use cameras containing batteries other than those mentioned in 19 01 11*
16	Wastes not otherwise specified in the list
16 02	wastes from electrical and electronic equipment
16 02 09*	transformers and capacitors containing PCBs
16 02 10*	discarded equipment containing or contaminated by PCBs other than those mentioned in 16 02 09
16 02 11*	discarded equipment containing chlorofluorocarbons, HCFC, HFC
16 02 12*	discarded equipment containing free asbestos
16 02 13*	discarded equipment containing hazardous components other than those mentioned in 16 02 09 to 16 02 12
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13
16 02 15*	hazardous components removed from discarded equipment
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15
16 06	batteries and accumulators
16 06 01*	lead batteries
16 06 02*	Ni-Cd batteries
16 06 03*	mercury-containing batteries
16 06 04	alkaline batteries (except 16 06 03)
16 06 05	other batteries and accumulators

Table S2.4 P	ermitted waste types and quantities for Hazardous Waste Transfer Station
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 2,500 tonnes a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted:
	Consisting solely or mainly of dusts, powders or loose fibres
	Wastes that are in a form which is either sludge or liquid
Waste code	Description
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 01	separately collected fractions (except 15 01)
20 01 23*	discarded equipment containing chlorofluorocarbons
20 01 33*	batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these batteries
20 01 34	batteries and accumulators other than those mentioned in 20 01 33
20 01 35*	discarded electrical and electronic equipment other than those mentioned in 20 01 21* and 20 01 23* containing hazardous components

Schedule 3 – Emissions and monitoring

There are no emission limits or associated monitoring requirements.

Schedule 4 – Reporting

There is no reporting under this schedule.

Schedule 5 - Notification

These pages outline the information that the operator must provide.

(b) Notification requirements for the breach of a limit

Emission point reference/ source

Measured value and uncertainty

Measures taken, or intended to be

Date and time of monitoring

To be notified within 24 hours of detection unless otherwise specified below

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number

Name of operator

Location of Facility	
Time and date of the detection	
	any malfunction, breakdown or failure of equipment or techniques, nce not controlled by an emission limit which has caused, is pollution
To be notified within 24 hours of	detection
Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

Permit number
EPR/GP3298ED

Parameter(s)

Limit

To be notified within 24 hours of o	detection unless	otherwise s	pecified be	low
taken, to stop the emission				
Time periods for notification follo	wing detection o	of a breach o	f a limit	
Parameter				Notification period
(c) Notification requirements for t	he detection of a	any significa	nt adverse	environmental effect
To be notified within 24 hours of	detection			
Description of where the effect on the environment was detected				
Substances(s) detected				
Concentrations of substances				
detected				
Date of monitoring/sampling				
Date of monitoring/sampling Part B – to be submitt		n as pra	ıcticabl	le
Date of monitoring/sampling		n as pra	ıcticabl	le
Part B – to be submitted. Any more accurate information on the	ne matters for	n as pra	ıcticabl	le
Part B – to be submitted Any more accurate information on the notification under Part A. Measures taken, or intended to be to	ne matters for aken, to prevent aken, to rectify, environment	n as pra	ıcticabl	le
Part B – to be submitted Any more accurate information on the notification under Part A. Measures taken, or intended to be to a recurrence of the incident Measures taken, or intended to be to limit or prevent any pollution of the elements.	ne matters for aken, to prevent aken, to rectify, environment by the emission	n as pra	ıcticabl	le
Part B – to be submitted Any more accurate information on the notification under Part A. Measures taken, or intended to be to a recurrence of the incident Measures taken, or intended to be to a recurrence of the incident Measures taken, or intended to be to a recurrence of the incident Measures taken, or intended to be to limit or prevent any pollution of the ewhich has been or may be caused by the dates of any unauthorised emis	ne matters for aken, to prevent aken, to rectify, environment by the emission	n as pra	ıcticabl	le
Part B – to be submitted Any more accurate information on the notification under Part A. Measures taken, or intended to be to a recurrence of the incident Measures taken, or intended to be to a recurrence of the incident Measures taken, or intended to be to a recurrence of the incident Measures taken, or intended to be to limit or prevent any pollution of the ewhich has been or may be caused by the dates of any unauthorised emis	ne matters for aken, to prevent aken, to rectify, environment by the emission	n as pra	ıcticabl	le
Part B – to be submitted Any more accurate information on the notification under Part A. Measures taken, or intended to be to a recurrence of the incident. Measures taken, or intended to be to a recurrence of the incident. Measures taken, or intended to be to a recurrence of the incident. Measures taken, or intended to be to a recurrence of the incident. The dates of any unauthorised emis facility in the preceding 24 months.	ne matters for aken, to prevent aken, to rectify, environment by the emission	n as pra	ıcticabl	le

Date

^{*} authorised to sign on behalf of the operator

Schedule 6 - Interpretation

"accident" means an accident that may result in pollution.

"Annex I" means Annex I to the Waste Framework Directive.

"Annex II" means Annex II to the Waste Framework Directive.

"application" means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

"authorised officer" means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

"baling" means baling that utilises a hydraulic machine that using compressive forces compacts various materials into regular-shaped dense bales (typically a cube). Bales may be belted with straps or steel wire to keep the bale in its compacted state; although for most metal bales this is not necessary. Baled scrap metal may be easier to handle, store and transport than loose scrap

"building" means a construction that has the objective of providing sheltering cover and minimising emissions of noise, particulate matter, odour and litter.

"controlled substances" means chlorofluorocarbons, other fully halogenated chlorofluorocarbons, halons, carbon tetrachloride, 1,1,1-trichloroethane, methyl bromide, hydrobromofluorocarbons and hydrochlorofluorocarbons listed in Annex I of Regulation (EC) No 2037/2000 of the European Parliament and of the Council of 29 June 2000 on substances that deplete the ozone layer, including their isomers, whether alone or in a mixture, and whether they are virgin, recovered, recycled or reclaimed.

"D" means a disposal operation provided for in Annex I to the Waste Framework Directive.

emissions of substances not controlled by emission limits" means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission limit.

"emissions to land" includes emissions to groundwater.

"EP Regulations" means The Environmental Permitting (England and Wales) Regulations SI 2016 No.1154 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

"fugitive emission" means an emission to air, water or land from the activities which is not controlled by an emission limit.

"groundwater" means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

"Hazardous waste" has the meaning given in the Hazardous Waste (England and Wales) Regulations 2005.

"impermeable surface" means a surface or pavement constructed and maintained to a standard sufficient to prevent the transmission of liquids beyond the pavement surface.

"List of Wastes" means the list of wastes established by Commission Decision 2000/532/EC replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste.

"ozone-depleting substances" "ODS" means "controlled substances" contained in refrigeration, airconditioning and heat pump equipment, equipment containing solvents, fire protection systems and fire extinguishers. "pests" means birds, vermin and insects.

"pollution" includes pollution of the environment, harm to human health and serious detriment to the amenities of the locality, resulting from the licensed activities.

"quarter" means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

"R" means a recovery operation provided for in Annex II to the Waste Framework Directive.

"sealed drainage system" in relation to an impermeable surface, means a drainage system with impermeable components which does not leak and which will ensure that:

- · no liquids will run off the surface otherwise than via the system
- all liquids entering the system are collected in a sealed sump, except where liquids may be lawfully discharged.

"Waste code" means the six digit code referable to a type of waste in accordance with the List of Wastes and in relation to hazardous waste, includes the asterisk.

"Waste Framework Directive" or "WFD" means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

"WEEE" means waste electrical and electronic equipment.

"WEEE Directive" means Directive 2012/19/EU of the European Parliament and of the Council of 4th July 2012 on waste electrical and electronic equipment (WEEE).

"year" means calendar year ending 31 December.

When the following terms appear in the waste code list in Schedule 2, table S2.1, table S2.2 and table S2.3, for those tables, they have the meaning given below:

"hazardous substance" means a substance classified as hazardous as a consequence of fulfilling the criteria laid down in parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008.

"heavy metal" means any compound of antimony, arsenic, cadmium, chromium (VI), copper, lead, mercury, nickel, selenium, tellurium, thallium and tin, as well as these materials in metallic form, as far as these are classified as hazardous substances.

"PCBs" means

- · polychlorinated biphenyls
- · polychlorinated terphenyls
- monomethyl-tetrachlorodiphenyl methane, Monomethyl-dichloro-diphenyl methane, Monomethyldibromo-diphenyl methane
- any mixture containing any of the above mentioned substances in a total of more than 0,005 %by weight.


"transition metals" means any of the following metals: any compound of scandium, vanadium, manganese, cobalt, copper, yttrium, niobium, hafnium, tungsten, titanium, chromium, iron, nickel, zinc, zirconium, molybdenum and tantalum, as well as these materials in metallic form, as far as these are classified as hazardous substances.

"stabilisation" means processes which change the hazardousness of the constituents in the waste and transform hazardous waste into non-hazardous waste.

"solidification" means processes which only change the physical state of the waste by using additives without changing the chemical properties of the waste.

"partly stabilised wastes" means wastes containing, after the stabilisation process, hazardous constituents which have not been changed completely into non-hazardous constituents and could be released into the environment in the short, middle or long term.

Schedule 7 – Site plan



"©Crown Copyright. All rights reserved. Environment Agency, 100024198, 2022."

END OF PERMIT